

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/658,338	09/10/2003	Michael W. Bosse	23122.01	1867
29891 7590 02/05/2007 LAURA M. HAGAN 1025 STATE STREET			EXAMINER	
			BLAKE, CAROLYN T	
BOWLING GREEN, KY 42101			ART UNIT	PAPER NUMBER
			3724	
			,	
SHORTENED STATUTOR	RY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE .	
3 MC	NTHS	02/05/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

M

	Application No.	Applicant(s)			
Office Action Comment	10/658,338	BOSSE, MICHAEL W.			
Office Action Summary	Examiner	Art Unit			
	Carolyn T. Blake	3724			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1) Responsive to communication(s) filed on 30 Ma	av 2006.				
	action is non-final.	′			
3) Since this application is in condition for allowan		secution as to the merits is			
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.				
Disposition of Claims					
4) Claim(s) 1-14 is/are pending in the application.	in from consideration				
4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6) Claim(s) 1-14 is/are rejected.		·			
7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or	election requirement				
o)[_] Claim(s) are subject to restriction and/or	election requirement.				
Application Papers					
9) The specification is objected to by the Examine	r.	•			
10)⊠ The drawing(s) filed on <u>12 January 2006</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:					
1. Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents have been received in Application No					
3. Copies of the certified copies of the priority documents have been received in this National Stage					
application from the International Bureau (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list of the certified copies not received.					
•					
Attachment(s)					
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413).					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da 5) Notice of Informal P				
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 5) Notice of Informal Patent Application 6) Other:					
	·				

DETAILED ACTION

1. This action is in response to the remarks filed on May 30, 2006.

2. The text of those sections in Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claim Rejections - 35 USC § 102

3. Claims 1 and 6-8 are rejected under 35 U.S.C. 102(b) as being anticipated by Allen (D272,712). See the *Figures* section at the end of this Office action.

Regarding claim 1, Allen teaches a lock removal tool (1), comprising: an elongated bar (2) having a first end and a second end; a lock cutting tool (3) disposed on the first end of said bar (2), the lock cutting tool (3) being a generally rectangular, flat plate having leading (4) and trailing edges (5) and top and bottom surfaces, said bar (2) being joined to the lock cutting tool (3) generally between the leading (4) and trailing (5) edges, said bar (2) being angled away from the top surface and extending rearward from the lock cutting tool (3); a tool piece (6) extending from the second end of said bar (2) axially aligned with said bar (2); a first impact collar (7) disposed on said bar (2) near the first end; a second impact collar (8) disposed on said bar near the second end; and a weight (9) slidably disposed on said bar (2) between the first (7) and second (8) impact collars. Note: impact collars (7, 8) are defined as such because they are circular members that impact the tool piece (6) and the lower collar.

Regarding claim 6, Allen teaches the leading edge (4) of said lock cutting tool (3) is bifurcated to form a cutting slot (10), the cutting slot (10) being a generally "V" shaped slot having inner edges.

Art Unit: 3724

Regarding claim 7, the top surface of the lock cutting tool (3) is tapered along the leading edge (4).

Regarding claim 8, Allen teaches the leading edge (4) of said lock cutting tool (3) is bifurcated to form a cutting slot (10) being a generally "V" shaped slot having inner edges, the top surface of said cutting tool being tapered along the inner edges (11) of said cutting slot (10).

Claim Rejections - 35 USC § 103

4. Claims 1, 2, 6-8, and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gue (3,568,657) in view of Gallo (6,308,934).

Regarding claim 1, Gue discloses a lock removal tool comprising: an elongated bar (10) having a first end and a second end; a lock cutting tool (20) disposed on the first end of said bar (10), a tool piece (18) extending from the second end of said bar (10) axially aligned with said bar (10), a first impact collar (24) disposed on said bar (10) near the first end; a second impact collar (22) disposed on said bar (10) near the second end; and a weight (26) slidably disposed on said bar (10) between the first (24) and second (24) impact collars. Gue fails to disclose the lock cutting tool is a generally rectangular, flat plate joined to the bar between its leading and trailing edges. However, Gallo discloses a lock removal tool comprising an elongated bar (12) having a first end and a second end; a lock cutting tool (18) disposed on the first end of said bar (12), the lock cutting tool (18) being a generally rectangular, flat plate having leading (20) and trailing edges and top and bottom surfaces, said bar (12) being joined to the lock cutting tool (18) generally between the leading and trailing edges, said bar (12) being angled

Art Unit: 3724

away from the top surface and extending rearward from the lock cutting tool (18); a first impact collar (14) disposed on said bar (12) near the first end; a second impact collar (16) disposed on said bar (12) near the second end; and a weight (32) slidably disposed on said bar (12) between the first (14) and second (16) impact collars. Unlike the Gue device, the lock cutting tool of the Gallo device allows for prying of the lock from the door. Therefore, it would have been obvious to one of ordinary skill in the art to provide a different lock cutting tool, as disclosed by Gallo, on the Gue device for the purpose of cutting and prying the lock from the door.

Regarding claim 2, Gue discloses the tool piece (18) comprises a length of metal stock (specifically steel). See col. 1, line 56.

Regarding claim 6, Gallo discloses the leading edge (20) of the lock cutting tool (18) is bifurcated to form a cutting slot (22), the cutting slot (22) being a generally "V" shaped slot having inner edges.

Regarding claim 7, Gallo discloses the top surface of the lock cutting tool (18) is tapered along the leading edges.

Regarding claim 8, Gallo discloses the leading edge of the lock cutting tool (18) is bifurcated to form a cutting slot (22), the cutting slot being a generally "V" shaped slot having inner edges, the top surface of said cutting tool (18) being tapered along the inner edges of the cutting slot (22).

Regarding claim 13, Gallo discloses the bar (12) and the lock cutting tool (18) are joined at an angle of between 15 and 45 degrees.

- 5. Claim 2 is rejected under 35 U.S.C. 102(b) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Allen (D272,712). The cross sections in FIGS 2A and 4 appear to be metal. Therefore, there is a high probability the entire tool, including the tool piece, is formed from metal. However, to the degree it can be argued this is speculative, Official notice is taken it is old and well known in the art to form threaded nuts, such as the tool piece (6), of metal. Therefore, to form parts of metal would have been obvious in order to make the entire tool from metal and long lasting.
- 6. Claims 3 and 4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gue in view of Gallo applied to claims 1 and 2 above, and further in view Skamser (D153,182).

Regarding claim 3, Gue is view of Gallo fails to disclose the metal stock is square. However, Skamser discloses a tool piece wherein the metal stock is square. See bottom of FIGS 1 and 2. Considering a manufacturing standpoint, the square stock would be easier to machine than the round stock used in the Gue and Gallo devices. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use square stock for the tool piece, as disclosed by Skamser, on the Gue in view of Gallo device for the purpose of easily machining the device.

Regarding claim 4, Gue discloses the metal stock is tapered to define a blade (18).

7. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Allen as applied to claim 1 above, and further in view of Kraus (4,235,269). Allen teaches the second end of said bar (2) has a tool piece receptacle defined therein, but fails to teach

Art Unit: 3724

a set screw. However, Kraus discloses a set screw aperture and a set screw (16)

engaging-the set screw aperture, whereby a tool piece is removably retained. The set

screw (16) secures the removable component in place until it is desired to detach it.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the

invention was made to provide a set screw and aperture, as disclosed by Kraus, on the

Allen device for the purpose of securing the removable component until it is desired to

detach it.

8. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Gue in

view of Gallo as applied to claim 1 above, and further in view of Kraus (4,235,269). Gue

in view of Gallo fails to disclose a tool piece receptacle or a set screw. However, Kraus

discloses a tool piece receptacle that allows the tip of the tool piece (1) to be removed

from the bar (20). Making the tool piece removable allows the part to be changed

according to the operator's needs. See Abstract. In addition, Kraus discloses a set

screw aperture and a set screw (16) engaging the set screw aperture, whereby a tool

piece (1) is removably retained. The set screw (16) secures the removable component

in place until it is desired to detach it. Therefore, it would have been obvious to one of

ordinary skill in the art at the time the invention was made to provide tool piece

receptacle and set screw, as disclosed by Kraus, on the Gue in view of Gallo device for

the purposes of replacing and securing the tool piece.

9. Claims 9 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Allen as applied to claim 1 above, and further in view of Lampe (6,213,527):

Page 6

Art Unit: 3724

Regarding claim 9, Allen fails to teach the top surface of the lock removal tool is tapered along the trailing edge. However, Lampe discloses a lock removal tool with an elongated bar (1) and a lock cutting tool (2). The top surface of the lock cutting tool (2) is tapered along the trailing edge (22). This feature creates a sharpened surface that allows the trailing edge to perform different tasks, such as chopping (col. 4, lines 16-18). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide a tapered trailing edge, as disclosed by Lampe, on the Allen device for the purpose of creating two operable edges on the lock cutting tool.

Regarding claim 11, Allen fails to teach at least one groove formed in the top surface of the cutting tool. However, Lampe discloses a cutting tool (2) with at least one groove (8) extending transversely across the top surface. The grooves (8) grip and provide friction when an object is place on top of the tool. See FIGS. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide at least one groove, as disclosed by Lampe, on the Allen device for the purpose of gripping an object on top of the top.

10. Claims 9 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gue in view of Gallo as applied to claim 1 above, and further in view of Lampe.

Regarding claim 9, Gue in view of Gallo fails to disclose the top surface of the lock removal tool is tapered along the trailing edge. However, Lampe discloses a lock removal tool with an elongated bar (1) and a lock cutting tool (2). The top surface of the lock cutting tool (2) is tapered along the trailing edge (22). This feature creates a sharpened surface that allows the trailing edge to perform different tasks, such as

Art Unit: 3724

chopping (col. 4, lines 16-18). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide a tapered trailing edge, as disclosed by Lampe, on the Gue in view of Gallo device for the purpose of creating two operable edges on the lock cutting tool.

Regarding claim 11, Gue in view of Gallo fails to disclose at least one groove formed in the top surface of the cutting tool. However, Lampe discloses a cutting tool (2) with at least one groove (8) extending transversely across the top surface. The grooves (8) grip and provide friction when an object is place on top of the tool. See FIGS. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide at least one groove, as disclosed by Lampe, on the Gue in view of Gallo device for the purpose of gripping an object on top of the top.

11. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Allen ('712) as applied to claim 1 above, and further in view of Allen (D262.513). Allen ('712)

('712) as applied to claim 1 above, and further in view of Allen (D262,513). Allen ('712) fails to teach the bottom surface of the cutting tool is curved at the leading edge. However, Allen ('513) teaches a lock removal tool wherein the bottom surface of the cutting tool is curved at the leading edge. See FIG 1. The curved bottom surface allows for a rocking motion during lock removal that would ease the process. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide a curved bottom surface on the leading edge of the lock cutting tool, as taught by Allen ('513), on the Allen ('712) device in order to ease the removal purpose through rocking.

Art Unit: 3724

- 12. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Gue in view of Gallo as applied to claim 1 above, and further in view of Allen ('513). Gue in view of Gallo fails to disclose the bottom surface of the cutting tool is curved at the leading edge. However, Allen teaches a lock removal tool wherein the bottom surface of the cutting tool is curved at the leading edge. See FIG 1. The curved bottom surface allows for a rocking motion during lock removal that would ease the process. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide a curved bottom surface on the leading edge of the lock cutting tool, as taught by Allen, on the Gue in view of Gallo device in order to ease the removal purpose through rocking.
- 13. Claims 12 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Allen as applied to claim 1 above, and further in view of Harpell (6,098,292).

Regarding claim 12, Allen fails to teach at least one groove formed in the bottom surface of the cutting tool. However, Harpell discloses a cutting tool (3) with at least one groove (41) extending transversely across the bottom surface. The groove strengthens the tool (col. 4, lines 23-27). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide at least one groove on the bottom surface of the cutting tool, as disclosed by Harpell, on the Allen device for the purpose of strengthening the tool.

Regarding claim 13, Allen fails to teach the bar and lock cutting tool are joined at an angle between 15 and 45 degrees. However, Harpell discloses a removal tool wherein a bar and a cutting tool are joined at an angle of between 15 and 45 degrees.

See col. 5, lines 32-36. This angle is particularly useful for demolition work, especially prying (col. 5, lines 36-42). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide an angle of 15 to 45 degrees between the bar and lock cutting tool, as disclosed by Harpell, on the Allen device for the purpose of effectively prying the lock from the door.

- 14. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Gue in view of Gallo as applied to claim 1 above, and further in view of Harpell. Gue in view of Gallo fails to disclose at least one groove formed in the bottom surface of the cutting However, Harpell discloses a cutting tool (3) with at least one groove (41) extending transversely across the bottom surface. The groove strengthens the tool (col. 4, lines 23-27). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide at least one groove on the bottom surface of the cutting tool, as disclosed by Harpell, on the Gue in view of Gallo device for the purpose of strengthening the tool.
- 15. Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Gue in view of Gallo and Harpell.

Regarding claim 14, Gue discloses a lock removal tool comprising: an elongated bar (10) having a first end and a second end; a lock cutting tool (20) disposed on the first end of said bar (10); a tool piece (18) extending from the second end of said bar (10) axially aligned with said bar (10); a first impact collar (24) disposed on said bar (10) near the first end; a second impact collar (22) disposed on said bar (10) near the

Art Unit: 3724

second end; and a weight (26) slidably disposed on said bar (10) between the first (24) and second (24) impact collars.

Gue fails to disclose the lock cutting tool is a generally rectangular, flat plate joined to the bar between its leading and trailing edges. However, Gallo discloses a lock removal tool comprising an elongated bar (12) having a first end and a second end; a lock cutting tool (18) disposed on the first end of said bar (12), the lock cutting tool (18) being a generally rectangular, flat plate having leading (20) and trailing edges and top and bottom surfaces, said bar (12) being joined to the lock cutting tool (18) generally between the leading and trailing edges, said bar (12) being angled away from the top surface and extending rearward from the lock cutting tool (18); a first impact collar (14) disposed on said bar (12) near the first end; a second impact collar (16) disposed on said bar (12) near the second end; and a weight (32) slidably disposed on said bar (12) between the first (14) and second (16) impact collars. Unlike the Gue device, the lock cutting tool of the Gallo device allows for prying of the lock from the door. Therefore, it would have been obvious to one of ordinary skill in the art to provide a different lock cutting tool, as disclosed by Gallo, on the Gue device for the purpose of cutting and prying the lock from the door.

The Gue-Gallo still fails to disclose a recess as claimed. However, Harpell discloses a lock cutting tool (3) disposed on a first end of a bar (9), the lock cutting tool (3) being a generally rectangular, flat plate having leading and trailing edges and top and bottom surfaces, said bar being joined to the lock cutting tool generally between the leading and trailing edges, said bar being angled away from the top surface and

extending rearward from the lock cutting tool. If the Gue-Gallo cutting tool is replaced with the Harpell cutting tool, a recess would be formed as claimed. Furthermore, the Harpell cutting tool may be advantageous for use on a different work product, and may be easier to manufacture because it would not require an involved bending or casting operation. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide a different cutting tool, such as the one disclosed by Harpell, on the Gue-Gallo combination for the purpose of easing manufacturing.

Response to Arguments

16. Applicant's arguments filed May 30, 2006 have been fully considered but they are not persuasive.

On January 10, 2006, Applicant's representative and the examiner discussed a proposed amendment to claim 1. Though it appears this amendment may overcome the prior art of record, Applicant has not formally submitted this amendment. The above rejections and following arguments are in response to the claims filed January 12, 2006 (wherein claim 1 is not amended), and not the proposed claims discussed in the interview. Applicant is encouraged to submit the proposed amendment, or a similar amendment, for consideration.

Applicant argues the combinations suggested by the examiner destroy the references. This is incorrect. Modifying a tool head on a device does not destroy the reference, but rather allows a different tooling operation to be carried out on the same

body. The broad function of the design, such as imposing slide hammer force to a two-headed tool in Gue (3,568,657), is not affected.

Applicant argues the prior art cited by the examiner does not disclose a cutting tool, but rather a pry bar. While these references may be pry bars, they are also capable of cutting a lock since they are manufactured from metal and have sharp edges. Also, the slide hammers on each provide additional force to accomplish a cutting task.

While the examiner agrees there are differences between Applicant's invention and the prior art of record, these differences have not been claimed. As stated above, the proposed amendment may be sufficient to overcome these references.




Figure 1 of D272,712 to Allen. Lead lines, reference numbers, and directions added by the examiner.






Figure 1 (enlarged) of D272,712 to Allen. Lead lines and reference numbers added by the examiner.





Figures 4 and 5 of D272,712 to Allen. Lead lines and reference numbers added by the examiner.

Conclusion

17. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

18. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Carolyn T. Blake whose telephone number is (571) 272-4503. The examiner can normally be reached on Monday to Thursday, 7:00 AM to 5:30 PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Boyer D. Ashley can be reached on (571) 272-4502. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3724

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

CB (

January 25, 2007

BOYER D. ASHLEY SUPERVISORY PATENT EXAMINER

Page 17